



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/509,980	01/03/2005	Peder Oscar Andersen	12900-00001-US	2890

23416 7590 06/19/2009
CONNOLLY BOVE LODGE & HUTZ, LLP
P O BOX 2207
WILMINGTON, DE 19899

EXAMINER

SHEIKH, HUMERA N

ART UNIT	PAPER NUMBER
----------	--------------

1615

MAIL DATE	DELIVERY MODE
-----------	---------------

06/19/2009

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/509,980

Applicant(s)

ANDERSEN ET AL.

Examiner

Humera N. Sheikh

Art Unit

1615

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 27 March 2009.
2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 50-55, 70-74 and 79-119 is/are pending in the application.

4a) Of the above claim(s) 72, 74, 79-81, 83, 85, 86, 89, 93-95, 103-109 and 113-119 is/are withdrawn from consideration.

- 5) ☐ Claim(s) _____ is/are allowed.
6) ☒ Claim(s) 50-55, 70, 71, 73, 82, 84, 87, 88, 90-92, 96-102 and 110-112 is/are rejected.
7) ☐ Claim(s) _____ is/are objected to.
8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
2) ☐ Notice of Draftperson's Patent Drawing Review (PTO-946)
3) ☒ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date 1/7/05; 3/10/05; 6/22/07; 5/2/08
4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date: _____
5) ☐ Notice of Informal Patent Application
6) ☐ Other: _____

DETAILED ACTION

Status of the Application

Receipt of the Response to Restriction/Election requirement and Applicant's Arguments/Remarks, all filed 03/27/09 is acknowledged. Receipt is also acknowledged of the Information Disclosure Statements (IDS) filed 01/07/05, 3/10/05, 6/22/07 and 5/02/08.

Applicant's election with traverse of Group I (claims 50-55, 70-74, 82, 84-88, 91-94, 96-103, 110-114 & 119) and Election of Species: (1) (a) oil-in-water emulsion (claims 84, 91 & 92); (2)(a) enteric or delayed release (claim 71) and (3)(a) pharmaceutical (claims 110 & 111) in the reply filed on 27 March 2009 is acknowledged. The traversal is on the ground(s) that "The Examiner has not provided an explanation as to why there would be a serious burden on the Examiner if restriction is not required". This is not found persuasive because as stated in the Restriction requirement of 12/23/08, each of the groups lacks the same special technical feature. For instance, each of the different groups contains elements or ingredients that are not contained in the other group. For instance, the special technical feature of an ionic polysaccharide gel membrane comprised of propylene glycol alginate or pectin in Group I is lacking in Groups II-IV. Similarly, the solid, liquid or gaseous component of the Group IV invention is lacking in the inventions of Groups I-III. Thus, each of the groups presented comprise materials and elements that are unique for that specific group and hence would result in a distinct product, based on the use of the various components. The different groups would require completely different searches in both the patent and non-patent databases, and there is no expectation that the searches would be coextensive in scope.

Art Unit: 1615

The different groups would also have unique issues with respect to enablement and written description. Furthermore, art anticipating one particular group would not anticipate nor necessarily render obvious the invention of the other group(s). This creates an undue search burden upon the Examiner.

The requirement is still deemed proper and is therefore made FINAL.

Claims 72, 74, 79-81, 83, 85, 86, 89, 93-95, 103-109 and 113-119 have been withdrawn from further consideration pursuant to 37 CFR 1.142(b), as being drawn to a nonelected invention, there being no allowable generic or linking claim. Applicant timely traversed the restriction (election) requirement in the reply filed on 27 March 2009.

Claims 50-55, 70-74 and 79-119 are pending in this action. Claims 50-55, 70, 71, 73, 82, 84, 87, 88, 90-92, 96-102 and 110-112 have been examined in this action. Claims 72, 74, 79-81, 83, 85, 86, 89, 93-95, 103-109 and 113-119 have been withdrawn (based on non-elected invention). Claims 50-55, 70, 71, 73, 82, 84, 87, 88, 90-92, 96-102 and 110-112 are rejected.

* * * * *

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless --

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 50-55, 70, 82, 84, 87, 88, 90-92 and 110-112 are rejected under 35 U.S.C. 102(b) as being anticipated by Shigeno *et al.* (hereinafter “Shigeno”) (U.S. Pat. No. 5,385,737).

Shigeno ('737) discloses surfactant-containing seamless capsules comprising an inner layer and an outer layer having a film-forming material, wherein said inner layer comprises a liquid containing an oily component and a surfactant component. The capsules have excellent emulsive and surfactant dispersibility and solubility in the oily component and can be used in the pharmaceutical field and other fields (see Abstract); (col. 1, line 5 – col. 3, line 27). The outer layer of the capsule is formed of a film-forming material. Any film-forming material can be used as long as it hardens or gels upon a physical treatment, such as cooling or chemical treatment (col. 5, lines 14-25). This process step of cooling to form a hardened or gelled film-forming material reads on the “drying” step claimed by Applicant. Suitable film-forming materials disclosed include sodium alginate and alginic acid propylene glycol, used singly or in combination. The inner layer comprises a single layer, or two or more concentric layers, which are formed with an appropriate combination of layers (col. 3, line 64 – col. 5, line 40). Surfactants are incorporated in the inner layer. Suitable surfactants are disclosed at column 6, line 15 – column 7, line 17. The emulsion formed based on the surfactant, oil and water components can be an oil-in-water emulsion (col. 7, line 52 - col. 8, line 7. Oily components are also incorporated in the inner layer in amounts of from 2 to 150% (col. 7, line 18 – col. 8, line 17). This range meets and falls within the amount of oil instantly claimed ("at least 50% by weight) in claim 50. The methods of producing the seamless capsules involve using multiple nozzle of triple or more having a sequentially increasing diameter (col. 2, line 51 – col. 3, line 24). Shigeno teaches that the film-forming liquid of the multi-layered droplets is hardened or gelled by physical or chemical means. In the case where the film-forming liquid is gelled chemically, an aqueous

Art Unit: 1615

solution containing calcium chloride or calcium phosphate for sodium alginate are appropriately selected and cross-linking and other reactions of the film-forming liquid with these hardeners result in gelation (col. 9, line 41- col. 10, line 21). Thus, Shigeno teaches the use of salts, such as calcium, for gelation of the film-forming material (alginate). Shigeno teaches that the film ratio, i.e., the ratio of film weight to capsule weight is 5 to 60% (col. 12, lines 36-41). This ratio meets the capsule weight of instant claims 53-54. The average particle diameter of the capsules is from 0.2 mm to 2 cm and preferably 3 mm to 2 cm. The thickness of the capsules is 0.01 mm to 5mm (col. 12, lines 42-54). Thus, the particle diameter and capsule thickness disclosed by Shigeno reads on the diameter and thickness dimensions as claimed in instant claims 52 and 55.

The instant claims are anticipated by Shigeno.

* * * * *

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(c), (f) or (g) prior art under 35 U.S.C. 103(a).

Claims 50, 52, 70, 82, 87, 88, 90, 96-102 and 110-112 are rejected under 35 U.S.C. 103(a) as being unpatentable over Okamura *et al.* (hereinafter “Okamura”) (U.S. Pat. No. 5,942,266) in view of Gåserød *et al.* (hereinafter “Gåserød”) (WO 99/02252).

Okamura ('266) teaches a capsule comprising in an alginate shell a composition comprising marmelo mucilago, water, an oleaginous substance such as a vegetable oil, a water-soluble polyvalent metal salt and sodium chloride. The capsule is made by contacting liquid drops of the composition with an aqueous solution of an alginate (see Abstract, column 1, lines 61-67 and claims 1 & 3). The resulting capsules are subjected to aqueous rinse, pH adjustment and stored in wetted condition (see column 6, lines 48-56).

Preferred water-soluble polyvalent metal salts disclosed include water-soluble salts of calcium, such as calcium chloride, calcium lactate and calcium acetate (col. 3, lines 1-15). The composition may include vitamins, antiseptics and the like and thus

Art Unit: 1615

includes pharmaceuticals (col. 3, line 62 - col. 4, line 4). Okamura teaches that the size of the capsules is generally about 0.5-15 mm (col. 4, lines 29-31). While the instant thickness levels of the membrane are not explicitly taught, it would have been obvious to one of ordinary skill in the art at the time the invention was made to determine suitable thickness of the membrane based on routine or manipulative experimentation, to obtain the best possible results, as these are variable parameters attainable within the art.

The edible capsules can be used as pharmaceutical capsules (col. 4, lines 41-47). The amount of oleaginous substance (i.e., vegetable oil) can be from 10-95 wt% (col. 3, lines 27-44). This range meets and falls within the amount of oil instantly claimed ("at least 50% by weight oil) in claim 50. Emulsifiers such as soybean lecithin are added to the composition (Example 3 at col. 6).

With regards to the instant limitation of a "seamless capsule", it is noted that the capsules of Okamura are also seamless capsules. The capsules are formed by a dipping method which comprises contacting liquid drops of the composition with an aqueous solution of an alginate, which would yield a "seamless capsule" as claimed.

It is noted that Okamura includes marmelo mucilage in the capsule composition, whereas the instant invention does not contain marmelo mucilage. However, the instant "comprising" claim language permits the inclusion of additional ingredients besides from those instantly recited, including the marmelo mucilage of Okamura. The transitional term "comprising", which is synonymous with "including," "containing," or "characterized by," is inclusive or open-ended and does not exclude additional, unrecited elements or method steps. See, e.g., > Mars Inc. v. H.J. Heinz Co., 377 F.3d 1369, 1376, 71 USPQ2d 1837, 1843 (Fed. Cir. 2004) ("like the term comprising," the terms

Art Unit: 1615

containing' and mixture' are open-ended." The "comprising" claim language does not exclude the marmelo mucilage of Okamura.

With regards to the particular shape of the capsule being claimed (oblong, oval, cylindrical), it is the position of the Examiner that the particular shape of the capsule does not impart patentability to the instant invention, since the particular shape of the capsule would be based on personal preference in order to provide for an aesthetic appearance or for ease of consumability for the user. The prior art teaches a capsule as claimed comprising the same elements, ingredients and features as claimed. The particular shape of the capsule would be determined by one of ordinary skill in the art based on suitability for its intended use or appearance, as discussed above.

Okamura does not teach the "G" content of the ionic gel membrane to be at least 30% (claim 100), from 40% to 80% (claim 101) and from 50% to 90% (claim 102).

Gåserød (WO '252) teaches capsules having a polyanionic polysaccharide (i.e., alginate, pectin) core and a polycationic polysaccharide (i.e., chitosan) membrane layer formed by adding a polyvalent ion, such as calcium, in the polyanion-polycation membrane forming step (see Abstract, p. 7, lines 5-9). Any polyanionic polysaccharide that can be cross-linked and/or gellable by means of a polyvalent cation may be used. The polyvalent cation can be calcium, strontium, barium, aluminum or iron (p. 10, lines 25-27). Gåserød teaches that when the alginate bead core has a higher G-block content, improved chitosan binding can be achieved, resulting in higher strength capsules. Accordingly, preferred alginates have a G-block content of at least 50%, more preferably,

Art Unit: 1615

60 to 75% (p. 10, lines 7-16); (p. 11, lines 1-19). These percentages of G-block content read on the content percentages claimed in claims 100-102.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use the alginates having a high G-block content (at least 50%, more preferably, 60 to 75%) as taught by Gåserød within the capsule formulations of Okamura. One would do so with a reasonable expectation of success because Gåserød teaches that higher G-block content leads to improved polysaccharide binding and thus results in capsules having increased strength. The expected result would be an improved durable capsule for delivery of agents.

While the instant molecular weight of alginate, as in claims 96 & 97, is not taught, Gåserød does teach that the molecular weight of a polysaccharide has an effect on both the release characteristics of an active ingredient as well as the strength of the capsules. A higher molecular weight polysaccharide results in a reduced pore size, enabling a lower rate of release of the active ingredient, whereas in contrast, a lower molecular weight polysaccharide results in increased pore size, enabling a faster rate of release of the active ingredient. Molecular weight also influences capsule strength and results in either a thin or thick membrane layer (p. 13, lines 18-29). Thus, it would be obvious to one of ordinary skill in the art to employ alginates based on particular molecular weights in order to manipulate the release rate of an active ingredient and obtain capsules of suitable strength. With regards to the ratios of mixtures of alginates of claim 98, it would have been obvious to one of ordinary skill in the art at the time the invention was made to determine suitable ratios when using multiple alginates based on routine or manipulative experimentation, to obtain optimal results, as these are variable parameters attainable

Art Unit: 1615

within the art. Given the teachings of Okamura and Gåserød, the instant invention, when taken as a whole, would have been *prima facie* obvious to one of ordinary skill in the art at the time the invention was made.

* * * * *

Claims 50, 52, 70, 82, 84, 87, 88, 90-92, 96-102 and 110-112 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ueda *et al.* (hereinafter “Ueda”) (U.S. Pat. No. 4,702,921) in view of Gåserød *et al.* (hereinafter “Gåserød”) (WO 99/02252).

Ueda ('921) teaches fish-egg-like edible products consisting of capsules and methods for preparing thereof, whereby the capsules are formed of calcium alginate membranes filled with an oil material and a viscous fluid separately contained therein, surrounded by a viscous emulsion consisting of the viscous fluid and oil material (see Abstract, column 1, lines 43-58). The capsules are formed by a) preparing an emulsion comprising a viscous fluid consisting of an aqueous sol material and water, a calcium salt and an oil material; (b) dropping the emulsion into an alginate solution and thereby surrounding the dropped emulsion with membranes of calcium alginate and c) separating the encapsulated emulsion into the aqueous phase consisting of the viscous fluid and the oil phase consisting of the oil material by heating the capsules (col. 1, lines 59-68).

Surfactants and emulsifiers (i.e., lecithin) are included in the procedure for forming the capsule (col. 2, lines 39-44). The edible capsules comprise oils (i.e., vegetable oil) (col. 3, lines 26-32). While the amount of oils is not disclosed (to be at least 50% by weight, from 70-98% % from 85-95%) as in claims 50, 91 & 92, respectively, it would have been obvious to one of ordinary skill in the art at the time the invention was made to determine suitable amounts/ranges of oils based on routine or manipulative

Art Unit: 1615

experimentation, to obtain the best possible results, as these are variable parameters attainable within the art. See *In re Aller* 220 F.2d 454, 456, 105 USPQ 233, 235 (CCPA 1955).

Ueda teaches that the capsules are swelled with water to a diameter of about 8 mm (col. 8, lines 5-8). This size reads on the wet capsule diameter claimed in claim 52 (1 mm to 40 mm). While the instant thickness level of the membrane are not explicitly taught, the determination of suitable or effective thickness of the alginate membrane is a routine or manipulative experimentation, to obtain the best possible results, as these are variable parameters attainable within the art.

With regards to the instant limitation of a “seamless capsule”, it is noted that the capsules of Ueda are also seamless capsules. The capsules are formed by a dipping method, which involves dropping the emulsion into an alginate solution and thereby surrounding the dropped emulsion with membranes of calcium alginate, which would yield a “seamless capsule” as claimed.

With regards to the particular shape of the capsule being claimed (oblong, oval, cylindrical), it is the position of the Examiner that the particular shape of the capsule does not impart patentability to the instant invention, since the particular shape of the capsule would be based on personal preference in order to provide for an aesthetic appearance or for ease of consumability for the user. The prior art teaches a capsule as claimed comprising the same elements, ingredients and features as claimed. The particular shape of the capsule would be determined by one of ordinary skill in the art based on suitability for its intended use or appearance, as discussed above.

Ueda does not teach the “G” content of the ionic gel membrane to be at least 30% (claim 100), from 40% to 80% (claim 101) and from 50% to 90% (claim 102).

Gåserød (WO ‘252) teaches capsules having a polyanionic polysaccharide (i.e., alginate, pectin) core and a polycationic polysaccharide (i.e., chitosan) membrane layer formed by adding a polyvalent ion, such as calcium, in the polyanion-polycation membrane forming step (see Abstract, p. 7, lines 5-9). Any polyanionic polysaccharide that can be cross-linked and/or gellable by means of a polyvalent cation may be used. The polyvalent cation can be calcium, strontium, barium, aluminum or iron (p. 10, lines 25-27). Gåserød teaches that when the alginate bead core has a higher G-block content, improved chitosan binding can be achieved, resulting in higher strength capsules. Accordingly, preferred alginates have a G-block content of at least 50%, more preferably, 60 to 75% (p. 10, lines 7-16); (p. 11, lines 1-19). These percentages of G-block content read on the content percentages claimed in claims 100-102.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use the alginates having a high G-block content (at least 50%, more preferably, 60 to 75%) as taught by Gåserød within the capsule formulations of Ueda. One would do so with a reasonable expectation of success because Gåserød teaches that higher G-block content leads to improved polysaccharide binding and thus results in capsules having increased strength. The expected result would be an improved durable capsule for delivery of agents.

While the instant molecular weight of alginate, as in claims 96 & 97, is not taught, Gåserød does teach that the molecular weight of a polysaccharide has an effect on both

Art Unit: 1615

the release characteristics of an active ingredient as well as the strength of the capsules. A higher molecular weight polysaccharide results in a reduced pore size, enabling a lower rate of release of the active ingredient, whereas in contrast, a lower molecular weight polysaccharide results in increased pore size, enabling a faster rate of release of the active ingredient. Molecular weight also influences capsule strength and results in either a thin or thick membrane layer (p. 13, lines 18-29). Thus, it would be obvious to one of ordinary skill in the art to employ alginates based on particular molecular weights in order to manipulate the release rate of an active ingredient and obtain capsules of suitable strength. With regards to the ratios of mixtures of alginates of claim 98, it would have been obvious to one of ordinary skill in the art at the time the invention was made to determine suitable ratios when using multiple alginates based on routine or manipulative experimentation, to obtain optimal results, as these are variable parameters attainable within the art. Given the teachings of Ueda and Gåserød, the instant invention, when taken as a whole, would have been *prima facie* obvious to one of ordinary skill in the art at the time the invention was made.

* * * * *

Claims 50-55, 70, 71, 73, 82, 84, 87, 88, 90-92, 96-102 and 110-112 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lee *et al.* (hereinafter “Lee”) (EP 0480729 A1) in view of Gåserød *et al.* (hereinafter “Gåserød”) (WO 99/02252).

Lee (‘729) teaches a microencapsulation method for the preparation of a controlled release oral drug delivery system and capsules formed thereby. The method comprises microencapsulation of an oil droplet containing drugs for oral administration

Art Unit: 1615

using a polysaccharide which has metal-chelating capacity and a biocompatible and water soluble polymer as a capsule material (see Abstract; p. 2, line 5-13). The method entails mixing the drug with liquid oil, whereby the drug-dispersed oil phase to be incorporated in the microcapsule is added to the aqueous solution mixture (to be used as the capsule material) of polysaccharide, biocompatible and water soluble polymer. The two phase system is (oil/aqueous mixture) is subjected to sonication to produce an oil-in-water emulsion containing the drug-dispersed oil droplets in the range of 1-5 micron range of diameter (p. 2, lines 25-31). The polysaccharide which has metal-chelating capacity includes sodium alginate and pectin (p. 2, lines 36-37). Sodium salt of alginic acid is used as the microcapsule material. Sodium alginate is water soluble and has good biodegradability and is widely used in cosmetics, food, pharmaceuticals, medicine and the like (p. 2, lines 42-44). The core material is a liquid oil, which is widely used for pharmaceuticals (p. 2, lines 53-55). Drugs are added in amounts of 1-40% (p.3, line 56 - p. 4, line 2). Emulsifying agents are used in the process in order to prepare for the stable oil-in-water emulsion (p. 4, lines 3-8). Multivalent cations used include calcium ions, aluminum ions or magnesium ions, provided in amounts of 0.5-5 wt % (p. 4, lines 11-13). The capsules are enteric or delayed release capsules that can comprise an enteric coating such as hydroxypropylmethylcellulose phthalate (p. 5, Example 9). This meets the limitations of instant claims 71 & 73.

With regards to the percentages and ratios claimed by Applicant, it would have been obvious to one of ordinary skill in the art at the time the invention was made to determine suitable amounts/ranges via routine or manipulative experimentation, to obtain optimal results, as these are variable parameters attainable within the art. See *In re Aller*

Art Unit: 1615

220 F.2d 454, 456, 105 USPQ 233, 235 (CCPA 1955). Likewise, the specific capsule dimensions (i.e., diameter, thickness) would be determined by routine optimization to acquire the best results.

With regards to the particular shape of the capsule being claimed (oblong, oval, cylindrical), it is the position of the Examiner that the particular shape of the capsule does not impart patentability to the instant invention, since the particular shape of the capsule would be based on personal preference in order to provide for an aesthetic appearance or for ease of consumability for the user. The prior art teaches a capsule as claimed comprising the same elements, ingredients and features as claimed. The particular shape of the capsule would be determined by one of ordinary skill in the art based on suitability for its intended use or appearance, as discussed above.

Lee does not teach the “G” content of the ionic gel membrane to be at least 30% (claim 100), from 40% to 80% (claim 101) and from 50% to 90% (claim 102).

Gåserød (WO ‘252) teaches capsules having a polyanionic polysaccharide (i.e., alginate, pectin) core and a polycationic polysaccharide (i.e., chitosan) membrane layer formed by adding a polyvalent ion, such as calcium, in the polyanion-polycation membrane forming step (see Abstract, p. 7, lines 5-9). Any polyanionic polysaccharide that can be cross-linked and/or gellable by means of a polyvalent cation may be used. The polyvalent cation can be calcium, strontium, barium, aluminum or iron (p. 10, lines 25-27). Gåserød teaches that when the alginate bead core has a higher G-block content, improved chitosan binding can be achieved, resulting in higher strength capsules. Accordingly, preferred alginates have a G-block content of at least 50%, more preferably,

Art Unit: 1615

60 to 75% (p. 10, lines 7-16); (p. 11, lines 1-19). These percentages of G-block content read on the content percentages claimed in claims 100-102.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use the alginates having a high G-block content (at least 50%, more preferably, 60 to 75%) as taught by Gåserød within the capsule formulations of Lee. One would do so with a reasonable expectation of success because Gåserød teaches that higher G-block content leads to improved polysaccharide binding and thus results in capsules having increased strength. The expected result would be an improved durable capsule for delivery of agents.

While the instant molecular weight of alginate, as in claims 96 & 97, is not taught, Gåserød does teach that the molecular weight of a polysaccharide has an effect on both the release characteristics of an active ingredient as well as the strength of the capsules. A higher molecular weight polysaccharide results in a reduced pore size, enabling a lower rate of release of the active ingredient, whereas in contrast, a lower molecular weight polysaccharide results in increased pore size, enabling a faster rate of release of the active ingredient. Molecular weight also influences capsule strength and results in either a thin or thick membrane layer (p. 13, lines 18-29). Thus, it would be obvious to one of ordinary skill in the art to employ alginates based on particular molecular weights in order to manipulate the release rate of an active ingredient and obtain capsules of suitable strength. Given the teachings of Lee and Gåserød, the instant invention, when taken as a whole, would have been *prima facie* obvious to one of ordinary skill in the art at the time the invention was made.

* * * * *

Art Unit: 1615

Double Patenting

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 50-55, 70, 82, 84, 87, 88, 90-92 and 110-112 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 53-60 of copending Application No. 11/713,176 ('176 application). Although the conflicting claims are not identical, they are not patentably distinct from each other because the copending '176 application also claims a seamless capsule comprising oil, surrounded by a gelled gel-forming polymer having capsule dimensions as instantly claimed in the '980 application. The gel-forming polymer can be an alginate (see claim 58 in '176) as is claimed in instant claim 50. The capsule can comprise materials such as pharmaceuticals, nutraceuticals, confectionaries, food and the like (see claim 59) as is claimed in instant claim 87. The capsule in the '176 application is non-spherical, thus

Art Unit: 1615

indicating that it can be in the shape of an oblong, oval or cylindrical capsule, as is claimed in instant claim 50.

This is a provisional obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

* * * * *

Conclusion

--No claims are allowed at this time.

Correspondence

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Humera N. Sheikh whose telephone number is (571) 272-0604. The examiner can normally be reached on Monday-Friday during regular business hours.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Woodward, can be reached on (571) 272-8373. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status

Art Unit: 1615

information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have any questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/Humera N. Sheikh/

Primary Examiner, Art Unit 1615

hns

June 17, 2009